

Thoughtfully designed. Expertly engineered.

THE HONEYWELL T SERIES

Fits your business to a T.



BRILLIANT

Meet the next generation of everyday comfort solutions.



Lyric™ T6 Pro Wi-Fi

Introducing the Honeywell T Series.

The T Series is a portfolio of non-connected and Wi-Fi connected thermostats that streamlines everything from product selection and installation to customer service and support. With a standard footprint and simple interface, the T Series will enhance the entire thermostat experience for you and your customers alike.





A thermostat series designed with

CONTRACTORS IN MIND



Intuitive setup



Faster installs



Easy upsell

Fits your technicians to a T

Every T Series thermostat features on-screen menus with familiar installer setup (ISU) steps, helping to eliminate the learning curve that can come with a new product. Your techs will be T Series experts in no time.

Fits your install process to a T

With the new UWP mounting system, you can standardize your training program, install process, and truck stock – helping your techs get in and out and on their way more quickly and efficiently.

Fits your revenue model to a T

The T Series has a snap-together design that enables you to easily move customers from a non-connected to a connected thermostat without having to rip and replace the connector and cover plate.*

*C-wire required

Discover all the ways the Honeywell T Series fits your business to a T. Get product info, training materials and more at **ForwardThinking.Honeywell.com/TSeries.**

DELIVER CONNECTIVITY

without the complexity

Homeowners want a connected home experience that streamlines and simplifies. The new Lyric T6 Pro Wi-Fi will fit their needs to a T. It's easy to use, easy to love, and easy for your techs to install and set up. Homeowners are asking for and adopting home automation technologies, and the Lyric T6 Pro Wi-Fi enables you to offer a simple solution that's integration-ready.

Simple functionality

Interact at the wall or on the app

Installers and homeowners can choose to do setup and scheduling at the wall like a traditional thermostat, or they can use the new and improved Lyric app.

Super-simple homeowner hand-off

Installers can use the Lyric app to send customers a personalized email that invites them to complete the Wi-Fi connection process on their own.

Optional ventilation control

The Lyric T6 Pro Wi-Fi is available with optional ventilation control and dual fuel capabilities for residential new construction projects that need to meet the ASHRAE 62.2 standard.

Smart features

Flexible comfort control


Homeowners can program a schedule or use location-based control with geofence technology, which uses their smartphone location to save energy when they're away and make the home comfortable when they return.

Ecosystem integration partnerships

The Lyric T6 Pro Wi-Fi seamlessly integrates with Apple® HomeKit™, Amazon Echo® and more for customers who want to control all their smart home devices from a single app. See the ever-growing integration list at forwardthinking.honeywell.com/ecosystemintegrators.



Lyric™ T6 Pro Wi-Fi



TSERIES COMPARISON CHART

Thermostat	Thermostat name	Program options	Power method	Display size	Stages	Dual fuel	Ventilation with ERV/HRV or damper	Wired indoor/ outdoor sensors	Service reminders
	Lyric™T6 Pro Wi-Fi TH6320WF2003	Geofencing, 1-week, 7-day, 5-2, 5-1-1 or non-programmable	C-wire only	6.89 sq. in.	3H/2C Heat Pump + 2H/2C Conventional	Yes	Yes	Yes. Outdoor sensor for lockouts only. No display.	Yes
	Lyric T6 Pro Wi-Fi TH6220WF2006	Geofencing, 1-week, 7-day, 5-2, 5-1-1 or non-programmable	C-wire only	6.89 sq. in.	2H/1C Heat Pump + 2H/2C Conventional	No	No	Yes. Outdoor sensor for lockouts only. No display.	Yes
- J5	T6 Pro TH6320U2008	7-day, 5-2, 5-1-1 or non- programmable	Battery or C-wire	5.44 sq. in.	3H/2C Heat Pump + 2H/2C Conventional	Yes	No	Yes. Outdoor sensor for lockouts only. No display.	Limited
-J5	T6 Pro TH6220U2000	7-day, 5-2, 5-1-1 or non- programmable	Battery or C-wire	5.44 sq. in.	2H/1C Heat Pump + 2H/2C Conventional	Yes	No	Yes. Outdoor sensor for lockouts only. No display.	Limited
-J5	T6 Pro TH6210U2001	7-day, 5-2, 5-1-1 or non- programmable	Battery or C-wire	5.44 sq. in.	2H/1C Heat Pump + 1H/1C Conventional	No	No	No	Limited
- 12- - 12-	T4 Pro TH4210U2002	7-day, 5-2, 5-1-1 or non- programmable	Battery or C-wire	2.37 sq. in.	2H/1C Heat Pump + 1H/1C Conventional	No	No	No	Limited
- 15-	T4 Pro TH4110U2005	7-day, 5-2, 5-1-1 or non- programmable	Battery or C-wire	3.93 sq. in.	1H/1C Heat Pump + 1H/1C Conventional	No	No	No	Limited
	T1 Pro TH1110D2009	Non-programmable	Battery or C-wire	2.37 sq. in.	1H/1C Heat Pump + 1H/1C Conventional	No	No	No	No
<u>בר</u>	T1 Pro TH1010D2000	Non-programmable	Battery or C-wire	2.37 sq. in.	1 Heat or 1 Cool only	No	No	No	No

For more information

www. Forward Thinking. Honeywell. com/TSeries

Home and Building Technologies

1985 Douglas Drive North Golden Valley, MN 55422 Connected: 1-800-633-3991 Non-connected: 1-800-468-1502 www.honeywell.com Follow us on Facebook: Facebook.com/HoneywellHomePro Follow us on Twitter: @HoneywellPro Learn: YouTube.com/HoneywellHomePro

Apple is a trademark of Apple Inc., registered in the U.S. and other countries. Home Kit is a trademark of Apple Inc.

03-00306 | SCH | 08/17 © 2017 Honeywell International Inc.

